Legend for Table Color Code (Grade Database)
Represent Configuration Tables where data is inserted from front end.
Represent Master Tables where data is inserted through SQL commands, Not from front end.
Represent Mappers Tables.
Represent Transaction Tables.
Represent History Tables where needs to maintain history of all master transactions.
Represent Master Tables where data is inserted from front end.

Legend for Table Color Code (Product Image)

- Represent Configuration Tables where data is inserted from front end.
- Represent Master Tables where data is inserted through SQL command. Not from front end.
- Represent Mappers Tables
- Represent Transaction Tables
- Represent History Table where needs to maintain history of all master transaction.
- Represent Temporary Tables used in data upload
- Represent Master Tables where data is inserted from front end.

Legend for Table Color Code (Znode Account)

- Represent Configuration Tables where data is inserted from front end.
- Represent Master Tables where data is inserted through SQL command. Not from front end.
- Represent Mappers Tables
- Represent Transaction Tables
- Represent History Table where needs to maintain history of all master transaction.
- Represent Temporary Tables used in data upload
- Represent Master Tables where data is inserted from front end.

ZNodeProduct

PK	**ProductID**
	Name
	ShortDescription
	Description
	FeaturesDesc
I8	**ProductNum**
FK5,I9	**ProductTypeID**
I10	RetailPrice
I11	SalePrice
I16	WholesalePrice
	ImageFile
	ImageAltTag
	Weight
	Length
	Width
	Height
	BeginActiveDate
	EndActiveDate
	DisplayOrder
I2	**ActiveInd**
	CallForPricing
I4	**HomepageSpecial**
	CategorySpecial
	InventoryDisplay
	Keywords
FK2,I5	ManufacturerID
	AdditionalInfoLink
	AdditionalInfoLinkLabel
FK6,I13	ShippingRuleTypeID
	ShippingRate
	SEOTitle
	SEOKeywords
	SEODescription
	Custom1
	Custom2
	Custom3
	ShipEachItemSeparately
	AllowBackOrder
	BackOrderMsg
	DropShipInd
	DropShipEmailID
	Specifications
	AdditionalInformation
	InStockMsg
	OutOfStockMsg
	TrackInventoryInd
	DownloadLink
	FreeShippingInd
I6	NewProductInd
I12	SEOURL
	MaxQty
	ShipSeparately
I3	**FeaturedInd**
	WebServiceDownloadDte
	UpdateDte
FK7,I14	SupplierID
	RecurringBillingInd
	RecurringBillingInstallmentInd
	RecurringBillingPeriod
	RecurringBillingFrequency
	RecurringBillingTotalCycles
	RecurringBillingInitialAmount
FK8,I15	TaxClassID
	MinQty
FK4	ReviewStateID
	AffiliateUrl
	IsShippable
FK1,I1	AccountID
FK3,I7	PortalID
	Franchisable
	ExpirationPeriod
	ExpirationFrequency
	CreateDate
	ExternalID

ZNodePromotion

PK	**PromotionID**
	Name
	Description
FK8,I11	ProfileID
FK1,I1	AccountID
FK2	AddOnValueID
FK9	SKUID
FK5,I5	**DiscountTypeID**
I4	**Discount**
I13	**StartDate**
I6	**EndDate**
	CouponInd
	CouponCode
	CouponQuantityAvailable
	PromotionMessage
	OrderMinimum
	QuantityMinimum
	PromotionProductQty
I12	PromotionProductID
	DisplayOrder
	Custom1
	Custom2
	Custom3
	EnableCouponUrl
	PromoCode
I7	ExternalID
FK4,I3	CategoryID
FK6,I8	ManufacturerID
FK3,I2	CatalogID
	IsCouponAllowedWithOtherCoupons

ZNodeOrder

PK,FK3	**OrderID**
FK7,I4	PortalId
FK1,I1	AccountID
FK4,I3	OrderStateID
FK8	ShippingID
	PaymentTypeId
	BillingFirstName
	BillingLastName
	BillingCompanyName
	BillingStreet
	BillingStreet1
	BillingCity
	BillingStateCode
	BillingPostalCode
	BillingCountry
	BillingPhoneNumber
	BillingEmailId
	CardTransactionID
	CardAuthCode
	CardTypeId
	CardExp
	TaxCost
	ShippingCost
	SubTotal
	DiscountAmount
I6	Total
I2	OrderDate
	Custom1
	Custom2
	AdditionalInstructions
	Custom3
	TrackingNumber
	CouponCode
	PromoDescription
FK2	ReferralAccountID
I5	PurchaseOrderNumber
FK6	PaymentStatusID
	WebServiceDownloadDate
FK5	PaymentSettingID
	ShipDate
	ReturnDate
	SalesTax
	VAT
	GST
	PST
	HST
	Created
	CreatedBy
	Modified
	ModifiedBy
	ExternalID

ZNodeAccountPayment

PK	**AccountPaymentID**
FK1	**AccountID**
FK2	OrderID
	TransactionID
	ReceivedDate
	Description
	Amount

ZNodeAccountType

PK	**AccountTypeID**
	AccountTypeNme

ZNodeReferralCommissionType

PK	**ReferralCommissionTypeID**
	Name

ZNodeCookieMapping

PK	**CookieMappingID**
FK1,I2,I1	AccountID
FK2	**PortalID**
	CreatedDate
	LastUpdatedDate

ZNodeReview

PK	**ReviewID**
FK1,I1	AccountID
	Subject
	Pros
	Cons
	Comments
	CreateUser
	UserLocation
I3	**Rating**
I4	**Status**
	CreateDate
	Custom1
	Custom2
	Custom3

ZNodePaymentToken

PK	**PaymentTokenID**
FK1	**AccountID**
FK2	**PaymentSettingID**
	CreditCardDescription
	CardAuthCode
	CardTransactionID
	CardExp

ZNodeGiftCard

PK	**GiftCardId**
FK3,I8	**PortalId**
I6	Name
U1	**CardNumber**
I4	**CreatedBy**
I3	**CreateDate**
FK2,I7	OrderItemId
FK1,I1	AccountId
I5	ExpirationDate
I2	Amount

ZNodeCaseRequest

PK	**CaseID**
FK6,I9	**PortalID**
FK1,I1	AccountID
FK2,I8	OwnerAccountID
FK4,I3	**CaseStatusID**
FK3,I2	**CasePriorityID**
FK5,I4	**CaseTypeID**
	CaseOrigin
	Title
	Description
	FirstName
I7	LastName
	CompanyName
I6	EmailID
	PhoneNumber
I5	**CreateDte**
	CreateUser

ZNodeAccountProfile

PK	**AccountProfileID**
FK2,I1	ProfileID
FK1,I1	**AccountID**

ZNodeAccount

PK	**AccountID**
FK1,I7	ParentAccountID
I9	UserID
I6	ExternalAccountNo
I3	CompanyName
FK3,I1	AccountTypeID
I8	ProfileID
	AccountProfileCode
	SubAccountLimit
	Description
	CreateUser
	CreateDte
	UpdateUser
	UpdateDte
I2	ActiveInd
	Website
	Source
FK2	ReferralAccountID
	ReferralStatus
	Custom1
	Custom2
	Custom3
I4	**EmailOptIn**
	WebServiceDownloadDte
	ReferralCommission
FK4	ReferralCommissionTypeID
	TaxID
	Email
I5	EnableCustomerPricing

ZNodeWishList

PK	**WishListID**
FK1	**AccountID**
	CreateDte
	Custom

ZNodeProductReviewHistory

PK	**ProductReviewHistoryID**
FK1	**VendorID**
	Status
	Reason
	Description
	Username
	LogDate
	NotificationDate

ZNodeStore

PK	**StoreID**
	PortalID
	Name
	Address1
	Address2
	Address3
	City
	State
	Zip
	Phone
	Fax
	ContactName
FK1	AccountID
	DisplayOrder
	ImageFile
	Custom1
	Custom2
	Custom3
	ActiveInd

ZNodeAddOn

PK	**AddOnID**
	ProductID
	Title
	Name
	Description
	DisplayOrder
	DisplayType
	OptionalInd
	AllowBackOrder
	InStockMsg
	OutOfStockMsg
	BackOrderMsg
	PromptMsg
	TrackInventoryInd
FK2	**LocaleId**
I1	ExternalID
	ExternalAPIID
FK1	AccountID
FK3	PortalID

ZNodeNote

PK	**NoteID**
FK2,I1	CaseID
FK1	AccountID
	NoteTitle
	NoteBody
	CreateDte
	CreateUser

Legend for Table Color Code (Znode catalog)

- Represent Configuration Tables where data is inserted from front end.
- Represent Master Tables where data is inserted through SQL command. Not from front end.
- Represent Mappers Tables
- Represent Transaction Tables
- Represent History Table where needs to maintain history of all master transaction.
- Represent Temporary Tables used in data upload
- Represent Master Tables where data is inserted from front end.

ZNodePortal

PK	**PortalID**
	CompanyName
	StoreName
	LogoPath
	UseSSL
	SalesEmail
	AdminEmail
	CustomerServiceEmail
	SalesPhoneNumber
	CustomerServicePhoneNumber
	ImageNotAvailablePath
	MaxCatalogDisplayColumns
	MaxCatalogDisplayItems
	MaxCatalogCategoryDisplayThumbnails
	MaxCatalogItemSmallThumbnailWidth
	MaxCatalogItemSmallWidth
	MaxCatalogItemMediumWidth
	MaxCatalogItemThumbnailWidth
	MaxCatalogItemLargeWidth
	MaxCatalogItemCrossSellWidth
	ShowSwatchInCategory
	ShowAlternateImageInCategory
I1	**ActiveInd**
	SMTPServer
	SMTPUserName
	SMTPPassword
	SMTPPort
	SiteWideBottomJavascript
	SiteWideTopJavascript
	OrderReceiptAffiliateJavascript
	SiteWideAnalyticsJavascript
	GoogleAnalyticsCode
	UPSUserName
	UPSPassword
	UPSKey
	ShippingOriginZipCode
	MasterPage
	ShopByPriceMin
	ShopByPriceMax
	ShopByPriceIncrement
	FedExAccountNumber
	FedExMeterNumber
	FedExProductionKey
	FedExSecurityCode
	FedExCSPKey
	FedExCSPPassword
	FedExClientProductId
	FedExClientProductVersion
	FedExDropoffType
	FedExPackagingType
	FedExUseDiscountRate
	FedExAddInsurance
	ShippingOriginAddress1
	ShippingOriginAddress2
	ShippingOriginCity
	ShippingOriginStateCode
	ShippingOriginCountryCode
	ShippingOriginPhone
FK1	CurrencyTypeID
	WeightUnit
	DimensionUnit
	EmailListLogin
	EmailListPassword
	EmailListDefaultList
	ShippingTaxable
FK3	DefaultOrderStateID
	DefaultReviewStatus
	DefaultAnonymousProfileID
	DefaultRegisteredProfileID
	InclusiveTax
	SeoDefaultProductTitle
	SeoDefaultProductDescription
	SeoDefaultProductKeyword
	SeoDefaultCategoryTitle
	SeoDefaultCategoryDescription
	SeoDefaultCategoryKeyword
	SeoDefaultContentTitle
	SeoDefaultContentDescription
	SeoDefaultContentKeyword
	TimeZoneOffset
FK2,I3	**LocaleID**
	SplashCategoryID
	SplashImageFile
	MobileTheme
	PersistentCartEnabled
FK4	DefaultProductReviewStateID
	UseDynamicDisplayOrder
	EnableAddressValidation
	RequireValidatedAddress
	EnablePIMS
I2	ExternalID
	EnableCustomerPricing
	IsEnableCompare
	CompareType
	IsMultipleCouponAllowed
	MobileLogoPath
	IsEnableSinglePageCheckout
	EnableSSLForSMTP

ZNodeCatalog

PK	**CatalogID**
	Name
I2	**IsActive**
FK1,I3	PortalID
I1	ExternalID

ZNodePromotion

PK	**PromotionID**
	Name
	Description
FK8,I11	ProfileID
FK1,I1	AccountID
FK2	AddOnValueID
FK9	SKUID
FK5,I5	**DiscountTypeID**
I4	**Discount**
I13	**StartDate**
I6	**EndDate**
	CouponInd
	CouponCode
	CouponQuantityAvailable
	PromotionMessage
	OrderMinimum
	QuantityMinimum
	PromotionProductQty
I12	PromotionProductID
	DisplayOrder
	Custom1
	Custom2
	Custom3
	EnableCouponUrl
	PromoCode
I7	ExternalID
FK4,I3	CategoryID
FK6,I8	ManufacturerID
FK3,I2	CatalogID
	IsCouponAllowedWithOtherCoupons

ZNodePortalCatalog

PK	**PortalCatalogID**
FK3,U1	**PortalID**
FK1,U1	**CatalogID**
FK2	**LocaleID**
FK5	ThemeID
FK4	CSSID

ZNodeLuceneGlobalProductCatalogBoost

PK	**LuceneGlobalProductCatalogBoostID**
FK1,U1	**CatalogID**
	Boost

ZNodeFacetGroup

PK	**FacetGroupID**
	FacetGroupLabel
FK2	ControlTypeID
FK1	CatalogID
	DisplayOrder

ZNodeCategoryNode

PK	**CategoryNodeID**
FK1,I3,I2,I4	CatalogID
FK2,I5	**CategoryID**
FK3,I6,I4	ParentCategoryNodeID
	BeginDate
	EndDate
	DisplayOrder
I1,I4	**ActiveInd**
FK6	ThemeID
FK4	CSSID
FK5	MasterPageID

Legend for Table Color Code (Znode Facet)

- Represent Configuration Tables where data is inserted from front end.
- Represent Master Tables where data is inserted through SQL command. Not from front end.
- Represent Mappers Tables
- Represent Transaction Tables
- Represent History Table where needs to maintain history of all master transaction.
- Represent Temporary Tables used in data upload
- Represent Master Tables where data is inserted from front end.

Legend for Table Color Code (Znode Order)

- Represent Configuration Tables where data is inserted from front end.
- Represent Master Tables where data is inserted through SQL command. Not from front end.
- Represent Mappers Tables
- Represent Transaction Tables
- Represent History Table where needs to maintain history of all master transaction.
- Represent Temporary Tables used in data upload
- Represent Master Tables where data is inserted from front end.

ZNodeShipping

PK	**ShippingID**
FK3,I5	**ShippingTypeID**
FK2,I4	ProfileID
	ShippingCode
	HandlingCharge
FK1,I2	DestinationCountryCode
	Description
I1	**ActiveInd**
	DisplayOrder
I3	ExternalID

ZNodeAccountPayment

PK	**AccountPaymentID**
FK1	**AccountID**
FK2	OrderID
	TransactionID
	ReceivedDate
	Description
	Amount

ZNodeOrder

PK,FK3	**OrderID**
FK7,I4	PortalId
FK1,I1	AccountID
FK4,I3	OrderStateID
FK8	ShippingID
	PaymentTypeId
	BillingFirstName
	BillingLastName
	BillingCompanyName
	BillingStreet
	BillingStreet1
	BillingCity
	BillingStateCode
	BillingPostalCode
	BillingCountry
	BillingPhoneNumber
	BillingEmailId
	CardTransactionID
	CardAuthCode
	CardTypeId
	CardExp
	TaxCost
	ShippingCost
	SubTotal
	DiscountAmount
I6	Total
I2	OrderDate
	Custom1
	Custom2
	AdditionalInstructions
	Custom3
	TrackingNumber
	CouponCode
	PromoDescription
FK2	ReferralAccountID
I5	PurchaseOrderNumber
FK6	PaymentStatusID
	WebServiceDownloadDate
FK5	PaymentSettingID
	ShipDate
	ReturnDate
	SalesTax
	VAT
	GST
	PST
	HST
	Created
	CreatedBy
	Modified
	ModifiedBy
	ExternalID

ZNodeReferralCommission

PK	**ReferralCommissionID**
FK2	**ReferralCommissionTypeID**
	ReferralCommission
	ReferralAccountID
FK1	OrderID
	TransactionID
	Description
	CommissionAmount

ZNodeGiftCardHistory

PK	**GiftCardHistoryID**
FK1	**GiftCardID**
	TransactionDate
	TransactionAmount
FK2	**OrderID**

ZNodeOrderLineItem

PK	**OrderLineItemID**
FK1,I1	**OrderID**
FK4	OrderShipmentID
I2	ProductNum
	Name
	Description
	Quantity
	Price
	Weight
	SKU
FK2	ParentOrderLineItemID
FK3	OrderLineItemRelationshipTypeID
	DownloadLink
	DiscountAmount
	ShipSeparately
	ShipDate
	ReturnDate
	ShippingCost
	PromoDescription
	SalesTax
	VAT
	GST
	PST
	HST
	TransactionNumber
FK6	PaymentStatusID
	TrackingNumber
	AutoGeneratedTracking
	Custom1
	Custom2
	Custom3
FK5	OrderLineItemStateID
	IsRecurringBilling
	RecurringBillingPeriod
	RecurringBillingCycles
	RecurringBillingFrequency
	RecurringBillingAmount
	Created
	Modified
	CreatedBy
	ModifiedBy
	AppliedPromo
	CouponsApplied
	ExternalID

ZNodePaymentStatus

PK	**PaymentStatusID**
	PaymentStatusName
	Description

ZNodeOrderState

PK	**OrderStateID**
	OrderStateName
	Description

ZNodePaymentSetting

PK,FK3	**PaymentSettingID**
I5,I3	**PaymentTypeID**
FK1,I5,I4	ProfileID
FK2,I2	GatewayTypeID
	GatewayUsername
	GatewayPassword
	EnableVisa
	EnableMasterCard
	EnableAmex
	EnableDiscover
	EnableRecurringPayments
	EnableVault
	TransactionKey
I1	**ActiveInd**
	DisplayOrder
	TestMode
	Partner
	Vendor
	PreAuthorize
	IsRMACompatible

ZNodePortal

PK	**PortalID**
	CompanyName
	StoreName
	LogoPath
	UseSSL
	SalesEmail
	AdminEmail
	CustomerServiceEmail
	SalesPhoneNumber
	CustomerServicePhoneNumber
	ImageNotAvailablePath
	MaxCatalogDisplayColumns
	MaxCatalogDisplayItems
	MaxCatalogCategoryDisplayThumbnails
	MaxCatalogItemSmallThumbnailWidth
	MaxCatalogItemSmallWidth
	MaxCatalogItemMediumWidth
	MaxCatalogItemThumbnailWidth
	MaxCatalogItemLargeWidth
	MaxCatalogItemCrossSellWidth
	ShowSwatchInCategory
	ShowAlternateImageInCategory
I1	**ActiveInd**
	SMTPServer
	SMTPUserName
	SMTPPassword
	SMTPPort
	SiteWideBottomJavascript
	SiteWideTopJavascript
	OrderReceiptAffiliateJavascript
	SiteWideAnalyticsJavascript
	GoogleAnalyticsCode
	UPSUserName
	UPSPassword
	UPSKey
	ShippingOriginZipCode
	MasterPage
	ShopByPriceMin
	ShopByPriceMax
	ShopByPriceIncrement
	FedExAccountNumber
	FedExMeterNumber
	FedExProductionKey
	FedExSecurityCode
	FedExCSPKey
	FedExCSPPassword
	FedExClientProductId
	FedExClientProductVersion
	FedExDropoffType
	FedExPackagingType
	FedExUseDiscountRate
	FedExAddInsurance
	ShippingOriginAddress1
	ShippingOriginAddress2
	ShippingOriginCity
	ShippingOriginStateCode
	ShippingOriginCountryCode
	ShippingOriginPhone
FK1	CurrencyTypeID
	WeightUnit
	DimensionUnit
	EmailListLogin
	EmailListPassword
	EmailListDefaultList
	ShippingTaxable
FK3	DefaultOrderStateID
	DefaultReviewStatus
	DefaultAnonymousProfileID
	DefaultRegisteredProfileID
	InclusiveTax
	SeoDefaultProductTitle
	SeoDefaultProductDescription
	SeoDefaultProductKeyword
	SeoDefaultCategoryTitle
	SeoDefaultCategoryDescription
	SeoDefaultCategoryKeyword
	SeoDefaultContentTitle
	SeoDefaultContentDescription
	SeoDefaultContentKeyword
	TimeZoneOffset
FK2,I3	**LocaleID**
	SplashCategoryID
	SplashImageFile
	MobileTheme
	PersistentCartEnabled
FK4	DefaultProductReviewStateID
	UseDynamicDisplayOrder
	EnableAddressValidation
	RequireValidatedAddress
	EnablePIMS
I2	ExternalID
	EnableCustomerPricing
	IsEnableCompare
	CompareType
	IsMultipleCouponAllowed
	MobileLogoPath
	IsEnableSinglePageCheckout
	EnableSSLForSMTP

ZNodeAccount

PK	**AccountID**
FK1,I7	ParentAccountID
I9	UserID
I6	ExternalAccountNo
I3	CompanyName
FK3,I1	AccountTypeID
I8	ProfileID
	AccountProfileCode
	SubAccountLimit
	Description
	CreateUser
	CreateDte
	UpdateUser
	UpdateDte
I2	ActiveInd
	Website
	Source
FK2	ReferralAccountID
	ReferralStatus
	Custom1
	Custom2
	Custom3
I4	**EmailOptIn**
	WebServiceDownloadDte
	ReferralCommission
FK4	ReferralCommissionTypeID
	TaxID
	Email
I5	EnableCustomerPricing

Legend for Table Color Code (znode Profile)
Represent Configuration Tables where data is inserted from front end.
Represent Master Tables where data is inserted through SQL command. Not from front end.
Represent Mappers Tables
Represent Transaction Tables
Represent History Table where needs to maintain history of all master transaction.
Represent Temporary Tables used in data upload
Represent Master Tables where data is inserted from front end.
webpages_Users
PK UserId
UserName
LoweredUserName
Email
MobileAlias
IsAnonymous
LastActivityDate
webpages_profile
PK WebPageProfileId
FK1 UserId
PortalId
LastUpdatedDate
webpages_Roles
PK RoleId
U1 RoleName
webpages_UsersInRoles
PK,FK2 UserId
PK,FK1 RoleId
ZNodeAccount
PK AccountID
FK1,I7 ParentAccountID
I9 UserID
I6 ExternalAccountNo
I3 CompanyName
FK3,I1 AccountTypeID
I8 ProfileID
AccountProfileCode
SubAccountLimit
Description
CreateUser
CreateDte
UpdateUser
UpdateDte
I2 ActiveInd
Website
Source
FK2 ReferralAccountID
ReferralStatus
Custom1
Custom2
Custom3
I4 EmailOptIn
WebServiceDownloadDte
ReferralCommission
FK4 ReferralCommissionTypeID
TaxID
Email
I5 EnableCustomerPricing
webpages_Membership
PK UserId
CreateDate
ConfirmationToken
IsConfirmed
LastPasswordFailureDate
PasswordFailuresSinceLastSuccess
Password
PasswordChangedDate
PasswordSalt
PasswordVerificationToken
PasswordVerificationTokenExpirationDate
webpages_OAuthMembership
PK Provider
PK ProviderUserId
UserId
ZNodeProductProfile
PK ProductProfileID
FK1 ProfileID
IncludeInd
ZNodePermission
PK PermissionId
EntityAction
ZNodeRolePermission
PK RolePermissionId
RoleId
FK1 PermissionId
ZNodeProfile
PK ProfileID
DefaultExternalAccountNo
I1 Name
UseWholesalePricing
EmailList
TaxExempt
FK1 TaxClassID
ShowPricing
ShowOnPartnerSignup
Weighting
ZNodeAccountProfile
PK AccountProfileID
FK2,I1 ProfileID
FK1,I1 AccountID
ZNodeSKUProfileEffective
PK SkuProfileEffectiveID
FK2 SkuId
FK1 ProfileId
EffectiveDate
ZNodeSKUProfile
PK SKUProfileID
FK2 SKUID
FK1 ProfileID
ProfileLimit
ExpirationDate
ZNodePromotion
PK PromotionID
Name
Description
FK8,I11 ProfileID
FK1,I1 AccountID
FK2 AddOnValueID
FK9 SKUID
FK5,I5 DiscountTypeID
I4 Discount
I13 StartDate
I6 EndDate
CouponInd
CouponCode
CouponQuantityAvailable
PromotionMessage
OrderMinimum
QuantityMinimum
PromotionProductQty
I12 PromotionProductID
DisplayOrder
Custom1
Custom2
Custom3
EnableCouponUrl
PromoCode
I7 ExternalID
FK4,I3 CategoryID
FK6,I8 ManufacturerID
FK3,I2 CatalogID
IsCouponAllowedWithOtherCoupons
ZNodeCategoryProfile
PK CategoryProfileID
FK1 CategoryID
FK2 ProfileID
EffectiveDate
ZNodePortalProfile
PK PortalProfileID
FK1 PortalID
FK2 ProfileID
ZNodeShipping
PK ShippingID
FK3,I5 ShippingTypeID
FK2,I4 ProfileID
ShippingCode
HandlingCharge
FK1,I2 DestinationCountryCode
Description
I1 ActiveInd
DisplayOrder
I3 ExternalID
ZNodePaymentSetting
PK,FK3 PaymentSettingID
I5,I3 PaymentTypeID
FK1,I5,I4 ProfileID
FK2,I2 GatewayTypeID
GatewayUsername
GatewayPassword
EnableVisa
EnableMasterCard
EnableAmex
EnableDiscover
EnableRecurringPayments
EnableVault
TransactionKey
I1 ActiveInd
DisplayOrder
TestMode
Partner
Vendor
PreAuthorize
IsRMACompatible
ZNodeTaxClass
PK TaxClassID
U1 Name
DisplayOrder
I1 ActiveInd
FK1,U1 PortalID
I2 ExternalID

Legend for Table Color Code (Znode SKU)

- Represent Configuration Tables where data is inserted from front end.
- Represent Master Tables where data is inserted through SQL command. Not from front end.
- Represent Mappers Tables
- Represent Transaction Tables
- Represent History Table where needs to maintain history of all master transaction.
- Represent Temporary Tables used in data upload
- Represent Master Tables where data is inserted from front end.

ZNodeSKU

PK	**SKUID**
FK1,U1	**SKU**
FK2,I5	SupplierID
	Note
	WeightAdditional
	SKUPicturePath
	ImageAltTag
	DisplayOrder
	RetailPriceOverride
	SalePriceOverride
	WholesalePriceOverride
	RecurringBillingPeriod
	RecurringBillingFrequency
	RecurringBillingTotalCycles
	RecurringBillingInitialAmount
I1,I4	**ActiveInd**
	Custom1
	Custom2
	Custom3
	WebServiceDownloadDte
	UpdateDte
I2	ExternalID

ZNodeSupplier

PK	**SupplierID**
FK2,I7	SupplierTypeID
I4,I1	ExternalSupplierNo
I1,I5	**Name**
	Description
	ContactFirstName
	ContactLastName
	ContactPhone
	ContactEmail
	NotificationEmailID
	EmailNotificationTemplate
	EnableEmailNotification
	DisplayOrder
I2	**ActiveInd**
	Custom1
	Custom2
	Custom3
	Custom4
	Custom5
FK1,I6	PortalID
I3	ExternalID

ZNodePromotion

PK	**PromotionID**
	Name
	Description
FK8,I11	ProfileID
FK1,I1	AccountID
FK2	AddOnValueID
FK9	SKUID
FK5,I5	**DiscountTypeID**
I4	**Discount**
I13	**StartDate**
I6	**EndDate**
	CouponInd
	CouponCode
	CouponQuantityAvailable
	PromotionMessage
	OrderMinimum
	QuantityMinimum
	PromotionProductQty
I12	PromotionProductID
	DisplayOrder
	Custom1
	Custom2
	Custom3
	EnableCouponUrl
	PromoCode
I7	ExternalID
FK4,I3	CategoryID
FK6,I8	ManufacturerID
FK3,I2	CatalogID
	IsCouponAllowedWithOtherCoupons

ZNodeSKUInventory

PK	**SKUInventoryID**
U1	**SKU**
I1	QuantityOnHand
	ReOrderLevel

ZNodeFacetProductSKU

PK	**FacetProductSKUID**
FK1,I2	FacetID
FK2,I3	SKUID
FK1	ControlTypeID

ZNodeSKUProfile

PK	**SKUProfileID**
FK2	**SKUID**
FK1	**ProfileID**
	ProfileLimit
	ExpirationDate

ZNodeSKUProfileEffective

PK	**SkuProfileEffectiveID**
FK2	**SkuId**
FK1	**ProfileId**
	EffectiveDate

ZNodeSKUAttribute

PK	**SKUAttributeID**
FK2,U2,U1	**SKUID**
FK1,U2,U1	**AttributeId**

Legend for Table Color Code (Znode Gift Card)
Represent Configuration Tables where data is inserted from front end.
Represent Master Tables where data is inserted through SQL command. Not from front end.
Represent Mappers Tables
Represent Transaction Tables
Represent History Table where needs to maintain history of all master transaction.
Represent Temporary Tables used in data upload
Represent Master Tables where data is inserted from front end.
ZNodeGiftCard
PK GiftCardId
FK3,I8 PortalId
I6 Name
U1 CardNumber
I4 CreatedBy
I3 CreateDate
FK2,I7 OrderItemId
FK1,I1 AccountId
I5 ExpirationDate
I2 Amount
ZNodeGiftCardHistory
PK GiftCardHistoryID
FK1 GiftCardID
TransactionDate
TransactionAmount
FK2 OrderID
ZNodeOrder
PK,FK3 OrderID
FK7,I4 PortalId
FK1,I1 AccountID
FK4,I3 OrderStateID
FK8 ShippingID
PaymentTypeId
BillingFirstName
BillingLastName
BillingCompanyName
BillingStreet
BillingStreet1
BillingCity
BillingStateCode
BillingPostalCode
BillingCountry
BillingPhoneNumber
BillingEmailId
CardTransactionID
CardAuthCode
CardTypeId
CardExp
TaxCost
ShippingCost
SubTotal
DiscountAmount
I6 Total
I2 OrderDate
Custom1
Custom2
AdditionalInstructions
Custom3
TrackingNumber
CouponCode
PromoDescription
FK2 ReferralAccountID
I5 PurchaseOrderNumber
FK6 PaymentStatusID
WebServiceDownloadDate
FK5 PaymentSettingID
ShipDate
ReturnDate
SalesTax
VAT
GST
PST
HST
Created
CreatedBy
Modified
ModifiedBy
ExternalID
ZNodeAccount
PK AccountID
FK1,I7 ParentAccountID
I9 UserID
I6 ExternalAccountNo
I3 CompanyName
FK3,I1 AccountTypeID
I8 ProfileID
AccountProfileCode
SubAccountLimit
Description
CreateUser
CreateDte
UpdateUser
UpdateDte
I2 ActiveInd
Website
Source
FK2 ReferralAccountID
ReferralStatus
Custom1
Custom2
Custom3
I4 EmailOptIn
WebServiceDownloadDte
ReferralCommission
FK4 ReferralCommissionTypeID
TaxID
Email
I5 EnableCustomerPricing
ZNodeOrderLineItem
PK OrderLineItemID
FK1,I1 OrderID
FK4 OrderShipmentID
I2 ProductNum
Name
Description
Quantity
Price
Weight
SKU
FK2 ParentOrderLineItemID
FK3 OrderLineItemRelationshipTypeID
DownloadLink
DiscountAmount
ShipSeparately
ShipDate
ReturnDate
ShippingCost
PromoDescription
SalesTax
VAT
GST
PST
HST
TransactionNumber
FK6 PaymentStatusID
TrackingNumber
AutoGeneratedTracking
Custom1
Custom2
Custom3
FK5 OrderLineItemStateID
IsRecurringBilling
RecurringBillingPeriod
RecurringBillingCycles
RecurringBillingFrequency
RecurringBillingAmount
Created
Modified
CreatedBy
ModifiedBy
AppliedPromo
CouponsApplied
ExternalID
ZNodePortal
PK PortalID
CompanyName
StoreName
LogoPath
UseSSL
SalesEmail
AdminEmail
CustomerServiceEmail
SalesPhoneNumber
CustomerServicePhoneNumber
ImageNotAvailablePath
MaxCatalogDisplayColumns
MaxCatalogDisplayItems
MaxCatalogCategoryDisplayThumbnails
MaxCatalogItemSmallThumbnailWidth
MaxCatalogItemSmallWidth
MaxCatalogItemMediumWidth
MaxCatalogItemThumbnailWidth
MaxCatalogItemLargeWidth
MaxCatalogItemCrossSellWidth
ShowSwatchInCategory
ShowAlternateImageInCategory
I1 ActiveInd
SMTPServer
SMTPUserName
SMTPPassword
SMTPPort
SiteWideBottomJavascript
SiteWideTopJavascript
OrderReceiptAffiliateJavascript
SiteWideAnalyticsJavascript
GoogleAnalyticsCode
UPSUserName
UPSPassword
UPSKey
ShippingOriginZipCode
MasterPage
ShopByPriceMin
ShopByPriceMax
ShopByPriceIncrement
FedExAccountNumber
FedExMeterNumber
FedExProductionKey
FedExSecurityCode
FedExCSPKey
FedExCSPPassword
FedExClientProductId
FedExClientProductVersion
FedExDropoffType
FedExPackagingType
FedExUseDiscountRate
FedExAddInsurance
ShippingOriginAddress1
ShippingOriginAddress2
ShippingOriginCity
ShippingOriginStateCode
ShippingOriginCountryCode
ShippingOriginPhone
FK1 CurrencyTypeID
WeightUnit
DimensionUnit
EmailListLogin
EmailListPassword
EmailListDefaultList
ShippingTaxable
FK3 DefaultOrderStateID
DefaultReviewStatus
DefaultAnonymousProfileID
DefaultRegisteredProfileID
InclusiveTax
SeoDefaultProductTitle
SeoDefaultProductDescription
SeoDefaultProductKeyword
SeoDefaultCategoryTitle
SeoDefaultCategoryDescription
SeoDefaultCategoryKeyword
SeoDefaultContentTitle
SeoDefaultContentDescription
SeoDefaultContentKeyword
TimeZoneOffset
FK2,I3 LocaleID
SplashCategoryID
SplashImageFile
MobileTheme
PersistentCartEnabled
FK4 DefaultProductReviewStateID
UseDynamicDisplayOrder
EnableAddressValidation
RequireValidatedAddress
EnablePIMS
I2 ExternalID
EnableCustomerPricing
IsEnableCompare
CompareType
IsMultipleCouponAllowed
MobileLogoPath
IsEnableSinglePageCheckout
EnableSSLForSMTP

Legend for Table Color Code (Znode shipping)
Represent Configuration Tables where data is inserted from front end.
Represent Master Tables where data is inserted through SQL command. Not from front end.
Represent Mappers Tables
Represent Transaction Tables
Represent History Table where needs to maintain history of all master transaction.
Represent Temporary Tables used in data upload
Represent Master Tables where data is inserted from front end.
ZNodeShippingType
PK ShippingTypeID
I1 ClassName
Name
Description
I2 IsActive
ZNodeShipping
PK ShippingID
FK3,I5 ShippingTypeID
FK2,I4 ProfileID
ShippingCode
HandlingCharge
FK1,I2 DestinationCountryCode
Description
I1 ActiveInd
DisplayOrder
I3 ExternalID
ZNodeShippingServiceCode
PK ShippingServiceCodeID
FK1,I2 ShippingTypeID
Code
Description
DisplayOrder
I1 ActiveInd
ZNodeCountry
PK Code
I2 Name
DisplayOrder
I1 ActiveInd
ZNodeShippingRule
PK ShippingRuleID
FK1,I2 ShippingID
FK2,I3 ShippingRuleTypeID
ClassName
LowerLimit
UpperLimit
BaseCost
PerItemCost
Custom1
Custom2
Custom3
I1 ExternalID
ZNodeShippingRuleType
PK ShippingRuleTypeID
I2 ClassName
Name
Description
I1 ActiveInd
ZNodeOrder
PK,FK3 OrderID
FK7,I4 PortalId
FK1,I1 AccountID
FK4,I3 OrderStateID
FK8 ShippingID
PaymentTypeId
BillingFirstName
BillingLastName
BillingCompanyName
BillingStreet
BillingStreet1
BillingCity
BillingStateCode
BillingPostalCode
BillingCountry
BillingPhoneNumber
BillingEmailId
CardTransactionID
CardAuthCode
CardTypeId
CardExp
TaxCost
ShippingCost
SubTotal
DiscountAmount
I6 Total
I2 OrderDate
Custom1
Custom2
AdditionalInstructions
Custom3
TrackingNumber
CouponCode
PromoDescription
FK2 ReferralAccountID
I5 PurchaseOrderNumber
FK6 PaymentStatusID
WebServiceDownloadDate
FK5 PaymentSettingID
ShipDate
ReturnDate
SalesTax
VAT
GST
PST
HST
Created
CreatedBy
Modified
ModifiedBy
ExternalID
ZNodeProfile
PK ProfileID
DefaultExternalAccountNo
I1 Name
UseWholesalePricing
EmailList
TaxExempt
FK1 TaxClassID
ShowPricing
ShowOnPartnerSignup
Weighting
ZNodeOrderShipment
PK OrderShipmentID
ShipName
ShipToFirstName
ShipToLastName
ShipToCompanyName
ShipToStreet
ShipToStreet1
ShipToCity
ShipToStateCode
ShipToPostalCode
ShipToCountry
ShipToPhoneNumber
ShipToEmailID

Legend for Table Color Code (Znode RMA)

- Represent Configuration Tables where data is inserted from front end.
- Represent Master Tables where data is inserted through SQL command. Not from front end.
- Represent Mappers Tables
- Represent Transaction Tables
- Represent History Table where needs to maintain history of all master transaction.
- Represent Temporary Tables used in data upload
- Represent Master Tables where data is inserted from front end.

Legend for Table Color Code (Znode Promotion)
Represent Configuration Tables where data is inserted from front end.
Represent Master Tables where data is inserted through SQL command. Not from front end.
Represent Mappers Tables
Represent Transaction Tables
Represent History Table where needs to maintain history of all master transaction.
Represent Temporary Tables used in data upload
Represent Master Tables where data is inserted from front end.
ZNodeCatalog
PK CatalogID
I2 Name
FK1,I3 IsActive
I1 PortalID
ExternalID
ZNodeProfile
PK ProfileID
DefaultExternalAccountNo
I1 Name
UseWholesalePricing
EmailList
TaxExempt
FK1 TaxClassID
ShowPricing
ShowOnPartnerSignup
Weighting
ZNodeSKU
PK SKUID
FK1,U1 SKU
FK2,I5 SupplierID
Note
WeightAdditional
SKUPicturePath
ImageAltTag
DisplayOrder
RetailPriceOverride
SalePriceOverride
WholesalePriceOverride
RecurringBillingPeriod
RecurringBillingFrequency
RecurringBillingTotalCycles
RecurringBillingInitialAmount
I1,I4 ActiveInd
Custom1
Custom2
Custom3
WebServiceDownloadDte
UpdateDte
I2 ExternalID
ZNodePromotion
PK PromotionID
Name
Description
FK8,I11 ProfileID
FK1,I1 AccountID
FK2 AddOnValueID
FK9 SKUID
FK5,I5 DiscountTypeID
I4 Discount
I13 StartDate
I6 EndDate
CouponInd
CouponCode
CouponQuantityAvailable
PromotionMessage
OrderMinimum
QuantityMinimum
PromotionProductQty
I12 PromotionProductID
DisplayOrder
Custom1
Custom2
Custom3
EnableCouponUrl
PromoCode
I7 ExternalID
FK4,I3 CategoryID
FK6,I8 ManufacturerID
FK3,I2 CatalogID
IsCouponAllowedWithOtherCoupons
ZNodeCategory
PK CategoryID
Name
Title
ShortDescription
Description
ImageFile
ImageAltTag
I4 VisibleInd
SubCategoryGridVisibleInd
SEOTitle
SEOKeywords
SEODescription
AlternateDescription
DisplayOrder
Custom1
Custom2
Custom3
I3 SEOURL
FK1,I2 PortalID
CreateDate
UpdateDate
I1 ExternalID
CategoryBanner
ZNodeAddOnValue
PK AddOnValueID
FK1 AddOnID
Name
Description
FK3 SKU
DefaultInd
DisplayOrder
ImageFile
ImageAltTag
RetailPrice
SalePrice
WholesalePrice
RecurringBillingInd
RecurringBillingInstallmentInd
RecurringBillingPeriod
RecurringBillingFrequency
RecurringBillingTotalCycles
RecurringBillingInitialAmount
Weight
Length
Height
Width
FK2 ShippingRuleTypeID
FreeShippingInd
WebServiceDownloadDte
UpdateDte
FK4 SupplierID
FK5 TaxClassID
I1 ExternalProductID
ExternalProductAPIID
ExternalID
ZNodeAccount
PK AccountID
FK1,I7 ParentAccountID
I9 UserID
I6 ExternalAccountNo
I3 CompanyName
FK3,I1 AccountTypeID
I8 ProfileID
AccountProfileCode
SubAccountLimit
Description
CreateUser
CreateDte
UpdateUser
UpdateDte
I2 ActiveInd
Website
Source
FK2 ReferralAccountID
ReferralStatus
Custom1
Custom2
Custom3
I4 EmailOptIn
WebServiceDownloadDte
ReferralCommission
FK4 ReferralCommissionTypeID
TaxID
Email
I5 EnableCustomerPricing
ZNodePortal
PK PortalID
CompanyName
StoreName
LogoPath
UseSSL
SalesEmail
AdminEmail
CustomerServiceEmail
SalesPhoneNumber
CustomerServicePhoneNumber
ImageNotAvailablePath
MaxCatalogDisplayColumns
MaxCatalogDisplayItems
MaxCatalogCategoryDisplayThumbnails
MaxCatalogItemSmallThumbnailWidth
MaxCatalogItemSmallWidth
MaxCatalogItemMediumWidth
MaxCatalogItemThumbnailWidth
MaxCatalogItemLargeWidth
MaxCatalogItemCrossSellWidth
ShowSwatchInCategory
ShowAlternateImageInCategory
I1 ActiveInd
SMTPServer
SMTPUserName
SMTPPassword
SMTPPort
SiteWideBottomJavascript
SiteWideTopJavascript
OrderReceiptAffiliateJavascript
SiteWideAnalyticsJavascript
GoogleAnalyticsCode
UPSUserName
UPSPassword
UPSKey
ShippingOriginZipCode
MasterPage
ShopByPriceMin
ShopByPriceMax
ShopByPriceIncrement
FedExAccountNumber
FedExMeterNumber
FedExProductionKey
FedExSecurityCode
FedExCSPKey
FedExCSPPassword
FedExClientProductId
FedExClientProductVersion
FedExDropoffType
FedExPackagingType
FedExUseDiscountRate
FedExAddInsurance
ShippingOriginAddress1
ShippingOriginAddress2
ShippingOriginCity
ShippingOriginStateCode
ShippingOriginCountryCode
ShippingOriginPhone
FK1 CurrencyTypeID
WeightUnit
DimensionUnit
EmailListLogin
EmailListPassword
EmailListDefaultList
ShippingTaxable
FK3 DefaultOrderStateID
DefaultReviewStatus
DefaultAnonymousProfileID
DefaultRegisteredProfileID
InclusiveTax
SeoDefaultProductTitle
SeoDefaultProductDescription
SeoDefaultProductKeyword
SeoDefaultCategoryTitle
SeoDefaultCategoryDescription
SeoDefaultCategoryKeyword
SeoDefaultContentTitle
SeoDefaultContentDescription
SeoDefaultContentKeyword
TimeZoneOffset
FK2,I3 LocaleID
SplashCategoryID
SplashImageFile
MobileTheme
PersistentCartEnabled
FK4 DefaultProductReviewStateID
UseDynamicDisplayOrder
EnableAddressValidation
RequireValidatedAddress
EnablePIMS
I2 ExternalID
EnableCustomerPricing
IsEnableCompare
CompareType
IsMultipleCouponAllowed
MobileLogoPath
IsEnableSinglePageCheckout
EnableSSLForSMTP
ZNodeDiscountType
PK DiscountTypeID
I3 ClassType
I2 ClassName
Name
Description
I1 ActiveInd
ZNodeManufacturer
PK ManufacturerID
Name
Description
WebsiteLink
EmailID
IsDropShipper
EmailNotificationTemplate
DisplayOrder
I1 ActiveInd
Custom1
Custom2
Custom3
FK1,I2 PortalID

Legend for Table Color Code (Znode Lucene Search)

- Represent Configuration Tables where data is inserted from front end.
- Represent Master Tables where data is inserted through SQL command. Not from front end.
- Represent Mappers Tables
- Represent Transaction Tables
- Represent History Table where needs to maintain history of all master transaction.
- Represent Temporary Tables used in data upload
- Represent Master Tables where data is inserted from front end.

Legend for Table Color Code (Znode Tracking)

- Represent Configuration Tables where data is inserted from front end.
- Represent Master Tables where data is inserted through SQL command. Not from front end.
- Represent Mappers Tables
- Represent Transaction Tables
- Represent History Table where needs to maintain history of all master transaction.
- Represent Temporary Tables used in data upload
- Represent Master Tables where data is inserted from front end.

ZNodePortal

PK	PortalID
	CompanyName
	StoreName
	LogoPath
	UseSSL
	SalesEmail
	AdminEmail
	CustomerServiceEmail
	SalesPhoneNumber
	CustomerServicePhoneNumber
	ImageNotAvailablePath
	MaxCatalogDisplayColumns
	MaxCatalogDisplayItems
	MaxCatalogCategoryDisplayThumbnails
	MaxCatalogItemSmallThumbnailWidth
	MaxCatalogItemSmallWidth
	MaxCatalogItemMediumWidth
	MaxCatalogItemThumbnailWidth
	MaxCatalogItemLargeWidth
	MaxCatalogItemCrossSellWidth
	ShowSwatchInCategory
	ShowAlternateImageInCategory
I1	**ActiveInd**
	SMTPServer
	SMTPUserName
	SMTPPassword
	SMTPPort
	SiteWideBottomJavascript
	SiteWideTopJavascript
	OrderReceiptAffiliateJavascript
	SiteWideAnalyticsJavascript
	GoogleAnalyticsCode
	UPSUserName
	UPSPassword
	UPSKey
	ShippingOriginZipCode
	MasterPage
	ShopByPriceMin
	ShopByPriceMax
	ShopByPriceIncrement
	FedExAccountNumber
	FedExMeterNumber
	FedExProductionKey
	FedExSecurityCode
	FedExCSPKey
	FedExCSPPassword
	FedExClientProductId
	FedExClientProductVersion
	FedExDropoffType
	FedExPackagingType
	FedExUseDiscountRate
	FedExAddInsurance
	ShippingOriginAddress1
	ShippingOriginAddress2
	ShippingOriginCity
	ShippingOriginStateCode
	ShippingOriginCountryCode
	ShippingOriginPhone
FK1	CurrencyTypeID
	WeightUnit
	DimensionUnit
	EmailListLogin
	EmailListPassword
	EmailListDefaultList
	ShippingTaxable
FK3	DefaultOrderStateID
	DefaultReviewStatus
	DefaultAnonymousProfileID
	DefaultRegisteredProfileID
	InclusiveTax
	SeoDefaultProductTitle
	SeoDefaultProductDescription
	SeoDefaultProductKeyword
	SeoDefaultCategoryTitle
	SeoDefaultCategoryDescription
	SeoDefaultCategoryKeyword
	SeoDefaultContentTitle
	SeoDefaultContentDescription
	SeoDefaultContentKeyword
	TimeZoneOffset
FK2,I3	**LocaleID**
	SplashCategoryID
	SplashImageFile
	MobileTheme
	PersistentCartEnabled
FK4	DefaultProductReviewStateID
	UseDynamicDisplayOrder
	EnableAddressValidation
	RequireValidatedAddress
	EnablePIMS
I2	ExternalID
	EnableCustomerPricing
	IsEnableCompare
	CompareType
	IsMultipleCouponAllowed
	MobileLogoPath
	IsEnableSinglePageCheckout
	EnableSSLForSMTP

ZNodeAccount

PK	AccountID
FK1,I7	ParentAccountID
I9	UserID
I6	ExternalAccountNo
I3	CompanyName
FK3,I1	AccountTypeID
I8	ProfileID
	AccountProfileCode
	SubAccountLimit
	Description
	CreateUser
	CreateDte
	UpdateUser
	UpdateDte
I2	ActiveInd
	Website
	Source
FK2	ReferralAccountID
	ReferralStatus
	Custom1
	Custom2
	Custom3
I4	**EmailOptIn**
	WebServiceDownloadDte
	ReferralCommission
FK4	ReferralCommissionTypeID
	TaxID
	Email
I5	EnableCustomerPricing

ZNodeTracking

PK	TrackingID
FK1	PortalID
	ProfileID
	Date
	DestinationDomain
	RefererDomain
	RefererQuery
	AffiliateId
	CampaignSource
	CampaignId
	CampaignKeyword
	Custom1
	Custom2
	Custom3

ZNodeTrackingEvent

PK	TrackingEventID
FK1	**TrackingID**
	Date
	Event
	RefererDomain
	RefererQuery
FK2	AccountID
	OrderID

ZNodeTrackingEvent

PK	TrackingEventID
FK1	**TrackingID**
	Date
	Event
	RefererDomain
	RefererQuery
FK2	AccountID
	OrderID

ZNodeTrackingOutbound

PK	TrackingOutboundID
	Date
	FromUrl
	ToUrl
	EventName
	Price

Legend for Table Color Code (Znode Payment)

- Represent Configuration Tables where data is inserted from front end.
- Represent Master Tables where data is inserted through SQL command. Not from front end.
- Represent Mappers Tables
- Represent Transaction Tables
- Represent History Table where needs to maintain history of all master transaction.
- Represent Temporary Tables used in data upload
- Represent Master Tables where data is inserted from front end.

ZNodeOrder

PK,FK3	**OrderID**
FK7,I4	PortalId
FK1,I1	AccountID
FK4,I3	OrderStateID
FK8	ShippingID
	PaymentTypeId
	BillingFirstName
	BillingLastName
	BillingCompanyName
	BillingStreet
	BillingStreet1
	BillingCity
	BillingStateCode
	BillingPostalCode
	BillingCountry
	BillingPhoneNumber
	BillingEmailId
	CardTransactionID
	CardAuthCode
	CardTypeId
	CardExp
	TaxCost
	ShippingCost
	SubTotal
	DiscountAmount
I6	Total
I2	OrderDate
	Custom1
	Custom2
	AdditionalInstructions
	Custom3
	TrackingNumber
	CouponCode
	PromoDescription
FK2	ReferralAccountID
I5	PurchaseOrderNumber
FK6	PaymentStatusID
	WebServiceDownloadDate
FK5	PaymentSettingID
	ShipDate
	ReturnDate
	SalesTax
	VAT
	GST
	PST
	HST
	Created
	CreatedBy
	Modified
	ModifiedBy
	ExternalID

ZNodeAccountPayment

PK	**AccountPaymentID**
FK1	**AccountID**
FK2	OrderID
	TransactionID
	ReceivedDate
	Description
	Amount

ZNodeAccount

PK	**AccountID**
FK1,I7	ParentAccountID
I9	UserID
I6	ExternalAccountNo
I3	CompanyName
FK3,I1	AccountTypeID
I8	ProfileID
	AccountProfileCode
	SubAccountLimit
	Description
	CreateUser
	CreateDte
	UpdateUser
	UpdateDte
I2	ActiveInd
	Website
	Source
FK2	ReferralAccountID
	ReferralStatus
	Custom1
	Custom2
	Custom3
I4	**EmailOptIn**
	WebServiceDownloadDte
	ReferralCommission
FK4	ReferralCommissionTypeID
	TaxID
	Email
I5	EnableCustomerPricing

ZNodePaymentSetting

PK,FK3	**PaymentSettingID**
I5,I3	**PaymentTypeID**
FK1,I5,I4	ProfileID
FK2,I2	GatewayTypeID
	GatewayUsername
	GatewayPassword
	EnableVisa
	EnableMasterCard
	EnableAmex
	EnableDiscover
	EnableRecurringPayments
	EnableVault
	TransactionKey
I1	**ActiveInd**
	DisplayOrder
	TestMode
	Partner
	Vendor
	PreAuthorize
	IsRMACompatible

ZNodePaymentToken

PK	**PaymentTokenID**
FK1	**AccountID**
FK2	**PaymentSettingID**
	CreditCardDescription
	CardAuthCode
	CardTransactionID
	CardExp

ZNodePaymentType

PK	**PaymentTypeID**
I2	**Name**
	Description
I1	**ActiveInd**

ZNodeProfile

PK	**ProfileID**
	DefaultExternalAccountNo
I1	**Name**
	UseWholesalePricing
	EmailList
	TaxExempt
FK1	TaxClassID
	ShowPricing
	ShowOnPartnerSignup
	Weighting

ZNodeGateway

PK	**GatewayTypeID**
	GatewayName
	WebsiteURL

Legend for Table Color Code (Znode Related Product)

- Represent Configuration Tables where data is inserted from front end.
- Represent Master Tables where data is inserted through SQL command. Not from front end.
- Represent Mappers Tables
- Represent Transaction Tables
- Represent History Table where needs to maintain history of all master transaction.
- Represent Temporary Tables used in data upload
- Represent Master Tables where data is inserted from front end.

Legend for Table Color Code (Znode Abandoned Card PlugIn)

- Represent Configuration Tables where data is inserted from front end.
- Represent Master Tables where data is inserted through SQL command. Not from front end.
- Represent Mappers Tables
- Represent Transaction Tables
- Represent History Table where needs to maintain history of all master transaction.
- Represent Temporary Tables used in data upload
- Represent Master Tables where data is inserted from front end.